



Foreword

Biodiversity, sustainability, ecological services. These are terms that are as important to sound agricultural practice as they are to conservation. As the prime stewards of the most dominant use of land in North America, crop and livestock producers are a critical link between pockets of natural habitat and cultivated land, between livestock and wildlife, and between the present state and future survival of one of our most abundant—yet delicate—life forms: amphibians.

Healthy amphibian habitat and sound agricultural practices go hand in hand. By integrating habitat for amphibians, the stewardship practices presented in this brochure serve to make agriculture more productive and sustainable, while increasing the aesthetic, cultural, and recreational aspects of the steward's land—and ultimately its value.

This brochure was developed by Alberta Conservation Association (ACA) through the cooperation of Northwest Partners in Amphibian and Reptile Conservation (NW PARC) and the support of Alberta Agriculture and Forestry (AAF), Alberta Environment and Parks (AEP), and Government of Canada Habitat Stewardship Program for Species at Risk.



wildlife | fish | habitat





The creators of this brochure gratefully acknowledge the following individuals for their technical review and contributions:

Alm family, Bar 15 Ranch Ltd.

Norine Ambrose, Cows and Fish

Sara Ashpole, University of Waterloo

Ken and Nora Balog, Balog Ranch

Roger Bryan, Alberta Agriculture

and Forestry

John Crawford, Lindenwood University

Brad Downey.

Alberta Conservation Association

Velma Hudson,

Alberta Conservation Association

Paul Jones, Alberta Conservation Association

Kris Kendell, Alberta Conservation Association

Janene Lichtenberg,

Confederated Salish and Kootenai Tribes

Lorne Fitch, Professional Biologist

Gigi and Rainer Krumsiek, Big Bear Ranch

Bryce A. Maxell,

Montana Natural Heritage Program

Chad Mellison, U.S. Fish and Wildlife Service

Deanna H. Olson, USDA Forest Service

David Pilliod, USGS Forest and Rangeland

Ecosystem Science Center

Dave Prescott, Alberta Environment and Parks

Marie and Don Ruzicka, Sunrise Farm

Trevor Wallace, Alberta Environment and Parks

Kirwin J. Werner,

Herpetological Surveys and Research

Elke Wind, E. Wind Consulting /

Northwest Partners in Amphibian and

Reptile Conservation

Getting to know our amphibian neighbours

For many of us, our earliest experiences with nature likely involved catching frogs, toads, or salamanders that inhabited local ponds or creeks. Hearing them call, and observing them mate and lay their eggs, these amphibians also likely provided us our first understanding of the connection between life cycles, aquatic habitats, and seasonal change.

Over the vast time span of life on earth, amphibians have become one of the most successful groups of animals. There are more than 7,900 species of amphibians worldwide—more than the total number of mammals. New species of amphibians are being described yearly through genetic research and expeditions into remote regions of the world. Yet, they remain one of the most at-risk groups of animals. About one in three known amphibian species is considered threatened with extinction. Habitat loss and degradation are among the greatest threats to their survival.





Why should we care about amphibians?

Beyond childhood exploration and experience, we rarely pay attention to frogs and other amphibians—much less notice the important role they play in maintaining a healthy and balanced ecosystem.

Since the early beginnings of science, amphibians have been instrumental in helping people make great discoveries in medicine and science, and have contributed to our understanding of the environment. Amphibians help maintain nature's delicate balance, playing a key role in enabling energy flow, cycling nutrients in both water

and land environments, and consuming algae and insects. They then act as a conveyor belt, transferring energy from their food to predators (snakes, birds, mammals, and fish) higher up the food chain.





- Tadpoles of frogs and toads consume tremendous quantities of algae in ponds and wetlands.
- Amphibian populations can eat millions of insects annually, many of which damage crops and trees or threaten our own health and well-being, such as West Nile Virus-carrying mosquitoes.

Healthy amphibians, healthy environment

If the frogs on your land disappear, it can be an early indicator of changes in the health of the uplands and riparian areas on your property.

Amphibians play a unique role in the environment acting as an early warning system, against threat to, or imbalance in water or air quality. Similar to how canaries were used in coal mines, whose sensitivity to deadly methane and carbon monoxide gases warned miners of impending danger, amphibians' sensitivity to environmental pollutants is registered long before it becomes

of consequence to us. Because amphibians have thin, permeable skin, environmental pollutants can easily absorb into their body. And because amphibians often live both in water and on land, they can provide us feedback about more than a single aspect of our environment. This sensitivity to changes in their surroundings makes amphibians good indicators of environmental health.





The northern leopard frog: home on the range

The northern leopard frog is a common example of an amphibian that has adapted to life on the range, making its home where grasslands or meadows and permanent water (like ponds, marshes, lakes, and slow-flowing rivers) meet.

Named for the array of irregularly shaped dark spots that adorn their backs and legs, northern leopard frogs are easily recognized.

Their greenish-brown earthen colours and attractive spot pattern allow them to blend perfectly into the shadows of their grassy and marshy environments.

The northern leopard frog was once an abundant and widespread frog species across North America. Today, they have become rare in many areas where they were once common, particularly in regions of western Canada and the western United States. Like many amphibian species, loss of quality habitat, disease, and pollution present the greatest threats to northern leopard frog populations.

Today, crop and livestock producers, conservation organizations, universities, and governments are working together to protect remaining populations of the northern leopard frog through habitat stewardship, population monitoring, research, reintroduction, and awareness.



Connecting with frogs: a kind of fairy tale of stewardship on the Balog Ranch

In the Brothers Grimm fairy tale, *The Frog*Prince, a royal son was bewitched and transformed into a frog by a wicked witch. The kindness of a princess and her kiss allowed him to be returned to his human form. And then they lived in the proverbial "happily ever after."

If only it was that simple to deal with the plight of northern leopard frogs in Alberta. With dramatic declines in numbers and only a handful of known breeding sites in the province, these frogs need help. Can stewardship be part of the solution across Alberta, and if so, how?

From their ranch in southern Alberta, the Balog family is showing us how it can be done. They haven't kissed any frogs, but their stewardship efforts have enabled the frogs on their property to survive and thrive.

What was it about the northern leopard frogs on the ranch that created empathy and responsibility for them? Stewardship can be a complex decision to explain, but easy to observe.

As Ken, the fourth generation of Balogs on the ranch, says, "If frogs aren't thriving around the dugout and along the creek, it says something about our management. Maybe we have done



some things right, because the frogs are still here. But can we do things better?"

The spark to start that process of doing things differently often occurs over a cup of coffee. The Balogs have always taken a keen interest in the wildlife that flies over, walks across or swims through the ranch, but from time to time even the keenest interest needs some outside help. Of course they knew about the frogs, but it wasn't until a pair of biologists sat down at the kitchen table and explained the results of an amphibian inventory that it became clear that their frogs were of the threatened northern leopard variety.

Putting awareness into action

Ken and Nora have been active volunteers in their community for many years. Stewardship—the kind that includes caring for smaller and sometimes overlooked species like frogs—is itself a form of volunteerism, so getting involved didn't require a big ideological change for the Balogs.

Stewardship of northern leopard frogs on the Balog Ranch began, and continues to be, a productive collaboration between the Balog family, ACA, and Multiple Species at Risk (MULTISAR, an association of multiple partners including ACA, AEP, and the Prairie Conservation Forum). The program works to conserve habitat for species at risk in the grasslands of Alberta while balancing the needs and goals for sustainable ranching.

The Balog Ranch lies in an arid landscape, so riparian areas are the focus for livestock management to aid in sustainable levels of grazing and also share with frogs.

Based on range inventories and a long history of grazing, the Balogs have a good understanding of the long-term carrying capacity of their pastures. They also know that the theoretical average amount of forage may not be available in dry years, so they adjust the annual stocking rate to compensate for rainfall, and to harvest forage and allow grass to recover they rotate cattle through their pastures. Livestock management is as much art as it is science. The challenge comes when the needs of frogs are added to the equation.

Upon listening to the biologists' ideas, it became evident that the solution would not come at a loss of grazing land but rather how to manage livestock with the needs of frogs in mind. Frogs, like cows, thrive with clean water, lush vegetation, and security for the rearing of young. Land management changes must therefore benefit both frogs and cows. Without choices for water and motivation to move, cows can linger too long in riparian areas, affecting both the quality of their water and the frogs' habitat. It came down to planning: to enhance frog habitat the timing and distribution of livestock along Red Creek needed to change.




Save a frog. Outsmart a cow.

It is said that riparian grazing management is simply outsmarting a cow. Maybe it's not so much about outwitting them as giving them drinking options that take pressure off riparian areas. With the help of ACA and MULTISAR, the Balogs installed two off-stream water troughs to give cows an alternative to drinking directly from the creek. One system taps water from a dugout (or excavated pond), the other is a portable one that allows livestock pressure points to be minimized along Red Creek. In dry years, the watering systems conserve water, a significant benefit to cows and frogs in an arid landscape.

Off-stream water sources together with movement of salt blocks allow the Balogs to manage cattle distribution for the improvement of both livestock and frogs. As Ken and Nora have observed, "Give cattle a choice of clean water, they'll walk a mile to the trough." Other livestock producers have noted better weight gains with clean water. The Balogs are pleased with the livestock health benefits of watering sites where cattle can avoid being bogged in mud.

Inclusion, not exclusion, has been the solution for the Balogs' operation. It's not cows or frogs, ranchers or biologists, agriculture or environment; on the Balog Ranch all the "ors" have been

replaced by "ands," with many resulting benefits. Two organizations involved in the business of conservation of landscapes and wildlife found an agricultural partner willing to work with them and have succeeded in protecting valuable habitat for the threatened northern leopard frog.



The association and relationship developed between ACA/MULTISAR staff and the Balogs goes beyond strictly business. Getting to know one another over the years has led to mutual respect, credibility, learning, and sharing. Both cows and frogs also benefitted from this working relationship. The Balogs now have a comprehensive ranch inventory and a management plan to guide their efforts to maintain and sustain the ranch. Financial assistance through ACA/MULTISAR from Government of Canada Habitat Stewardship Program and Canadian Natural Resources Limited helped with the off-stream water developments that aid their livestock management efforts.

A family affair

As one example of stewardship, the Balogs have figured out how to live on a parcel of land and maintain a species at risk for the benefit of all. Besides technical expertise and equipment, the project's success required caring, openmindedness, ecological awareness, a strong land ethic, and a vision for the future. There is a harmony and a relationship between humans and wildlife on the Balog Ranch that is inspirational.

Like *The Frog Prince*, this story too has a happy ending for the northern leopard frogs on the Balog Ranch and those who care for them.

ranch where ACA/MULTISAR biologists taught students about frogs sparked the imagination of one of Ken and Nora's daughters, Beth, who developed a fascination with frogs. Beth has since surveyed frog population levels along the creek and is interested in pursuing a career in resource management. "I want to care," related Beth. "We all need to care about wildlife. I want to show people that even a small change can make a difference."

The project on the Balog Ranch has led to even greater family awareness. Nora points out now, "checking the cows also means checking the frogs."



photo: Brad Downey, ACA

Wetlands: wet, wild, and wonderful

Wetlands are known by many names: sloughs, marshes, ponds, fens, bogs, and swamps. No matter how small or seemingly insignificant, wetlands are among our most productive and fertile ecosystems. In addition to being a home for amphibians for at least part of their life cycle, wetlands also serve a myriad of other purposes.

How wetlands help agriculture:

- Prevent flooding.
- · Maintain water tables.
- Provide shelter, forage, and water for livestock.
- Assist in fire suppression.
- Absorb pollutants from runoff and the air.
- Contribute to cloud and rain formation.

Much like our kidneys, wetlands perform a natural cleansing function by retaining sediments and pollutants, which are then absorbed, held, and broken down by soil and wetland plants. Healthy, functioning wetlands prevent flooding in fields and pastures, holding water much like a sponge: soaking up rain and snowmelt, and slowly releasing runoff from storms and thaws. In doing so, they help recharge groundwater and maintain our water tables and wells. Wetlands also offer significant benefits for livestock production, act as "seed banks" for native plant species, help with fire suppression, and even create local cloud formation and rain by increasing evaporation of water into the atmosphere.

But—importantly—wetlands are also a source of enjoyment for us, providing a place to paddle, watch wildlife, hunt and fish, or to just sit and listen to the frogs.

Ephemeral value

Ephemeral wetlands (also called vernal pools, seasonal / temporary ponds, or wetlands) are landform depressions that fill with water following heavy rainfalls, spring snowmelt, or as a result of a high water table. Typically, ephemeral wetland are fishless and dry up in early fall or drought years. Because they are prone to frequent drying, their value to the landscape and wildlife is often underappreciated. Yet ephemeral wetlands are a unique and specialized amphibian habitat, home to distinct species of amphibians that have adapted to their variable cycle.

Retaining ephemeral wetlands makes sense. Left intact, they provide an important connection to the groundwater system and, like other wetlands, they will store and absorb surface runoff and help prevent flooding in fields and pastures. But if cultivated, the texture and composition of soils associated with ephemeral wetlands make them susceptible to compaction from farm equipment. This compaction can lead to soils that are difficult to till and impede plant growth, lowering crop yield. Furthermore, the often saline and impervious soils associated with ephemeral wetlands are less suitable for crop growth. In wet years, returns from farming inputs in these areas can be especially low.

Amphibian-friendly dugouts

Dugouts with a low shoreline gradient, shallow marshy edges, and minimal impact from livestock can provide productive breeding habitat for amphibians. The function and appearance of a natural wetland can be recreated. The following steps will encourage a rich wetland plant community, provide optimal cover for amphibians, minimize weed growth, and prevent the excavated soil from eroding back into the dugout:

the letter the second and the about the collection of the letter the ball the ball the letter the ball the letter the ball t

1. Spread the top layer of organic-rich, freshly excavated soil over the dugout's bottom.

- 2. Move the remaining soil from excavation to an upland site away from the dugout.
- 3. Before spreading the excavated soil at the upland site, scrape the topsoil and save it for later spreading over the less fertile excavated soil.
- 4. Seed all of the spread soil and disturbed areas with native grasses.
- 5. Avoid excavating dugouts into wetlands as this can drain the surrounding wetland, especially in dry years.



Negative implications of cultivating wetlands:

- High soil compaction reduces yield.
- Saline soil is not suitable for long-term sustainable crop production.
- Soil is susceptible to flooding in wet years.



photo: Dr. Wayne Lynch

Buffers offer protection

Riparian buffers are areas of land in permanent forage or native vegetation adjacent to wetlands, lakes, streams, and rivers. The plants naturally found within riparian buffers are strongly influenced by the presence of water and are generally more productive than those in neighbouring uplands.

Ideally, the full, natural integrity of the riparian buffer around a waterbody or along a watercourse should be kept intact. A well-maintained riparian buffer provides the best possible cover, burrowing and foraging areas for amphibians: the greater its size the greater the opportunity for amphibian populations to thrive and be resilient to floods, drought or disease.

But riparian buffers preserved in their natural state can also provide significant benefits to your operation.

Benefits of riparian buffers

- Slower water runoff, trapped sediment, and enhanced water infiltration
- Less soil erosion from scouring currents, fluctuating water levels, moving ice, and wind-driven waves
- Trapped fertilizers, pesticides, bacteria, pathogens, and heavy metals, minimizing the chances of these potential pollutants reaching surface water and groundwater sources
- Protection for livestock from harsh weather
- A source of income through selective harvest of trees in wooded riparian areas



- Space for crop pollinators and crop pest predators to live
- Increased the aesthetic value and recreational opportunities on your land

While some level of grazing or forage harvest is necessary for maintaining the health and function of wetlands and riparian buffers, unrestricted livestock access in these areas can have significant negative impacts. Nutrient loading, excessive removal of vegetation, and soil compaction and disturbance from livestock can harm wetlands and riparian buffers. Adopting a grazing management plan inclusive of controlled wetland and riparian grazing, and a rotational grazing system will make the most of your range while protecting these habitats.

Alternative grazing solutions

Cattle can be encouraged to make use of pasture and graze away from wetlands and riparian buffers through the following:


- Portable windbreaks and shelters placed in the uplands.
- Cattle oilers and rubbing posts placed in the uplands.
- Offsite livestock watering systems placed away from waterbodies.
- Electric fencing to create a riparian pasture.
- Salt and mineral locations placed in the uplands.



What are the alternatives to direct-access watering?

Alternatives to direct-access watering usually involve fencing off the water source to limit or eliminate direct access by livestock. The development of a natural buffer of native vegetation is also maintained. There are many alternatives to direct-access watering that may

be deployed in isolation or in combination, depending on the needs of your operation. Examples include solar, wind, and livestock-powered pumping system; gravity-flow systems; and access ramps.




Habitat corridors: an important link

An amphibian's natural habitat typically includes a number of habitat areas necessary for it to thrive, such as wetlands, burrowing sites, and foraging areas. When these areas of habitat become separated or fragmented by agricultural activities, amphibian populations can decline.

Shelterbelts, grassed waterways, and riparian buffers can reconnect those areas needed for amphibians and provide corridors to help them move more safely and effectively between habitats. Such corridors enhance genetic diversity of amphibian populations by allowing them to find new mates in neighbouring areas and find new habitat if local natural resources or environmental conditions become unfavourable. They also provide amphibians a place to live in the corridor itself.



Gravity-flow systems are ideal for sloping pastureland where a dugout or dam can be located upslope from a watering site. They can also be used for springs where there is a sufficient elevation drop to the stock tank.





In various situations, wetlands, buffers, shelterbelts, and grassed waterways can provide many benefits to your operation:

- · Reduce soil erosion from wind and water.
- Control drifts and trap snow, increasing. moisture content in the soil.
- Provide barriers for dust, smoke, odour, and noise.
- Offer protection from the elements to livestock.
- Provide a source of income through haying or forage, or selective harvest of trees.





Good business and good stewardship go hand in hand

There are many actions you can take that will benefit amphibians on your land. This may involve making only a small adjustment to your current land management practices. Actively managing your land and water for amphibians can save you time and resources, improve animal and plant health, increase land value, and increase returns from farming and ranching inputs.

For more information about amphibians, the newest habitat stewardship practices and assistance with implementing habitat stewardship on your property contact:

Alberta Conservation Association

Northwest Partners in Amphibian and Reptile Conservation www.nwparc.org

Amphibian habitat and agricultural stewardship: the facts

- Amphibians are key indicators of environmental health.
- Habitat loss, disease, and pollution are key contributing factors to the rapid decline in amphibian populations.
- Wetland areas, riparian buffers, shelterbelts, and grassed waterways can provide many benefits to your ranching or growing operation.
- Pumping water out of a dugout or wetland, or providing a non-erodible ramp, will allow livestock access to cleaner water and improves animal performance.
- Adopting a controlled grazing and a rotational grazing system will make the most of your range while protecting wetland and riparian habitats.
- Crop and livestock producers are key partners in landscape management that protects biodiversity for future generations.